



FortiFlash® Butyl

1. Product And Company Identification	
<p>Supplier Fortifiber Building Systems Group 300 Industrial Drive Fernley, NV 89408</p> <p>Company Contact: Technical Services Telephone Number: (800) 773-4777 Web Site: www.fortifiber.com</p>	<p>Product(s): FortiFlash® Butyl 20 mil FortiFlash® Butyl 30 mil FortiFlash® Butyl Joist Guard L7 Flashing®</p>
<p>Issue Date: 05/07/2018 Supersedes: 10/13/2015</p> <p>Product Description Waterproof Flashing Membrane.</p>	

2. Hazards Identification
<p>In the solid state the material is not considered a hazardous material as defined by 21 CFR 1910.1200 (b) (6) (v). This product meets the definition of an “Article” and is not subject to the regulations of the Hazardous Products Act.</p> <p>Eye Hazards Contact with adhesive may cause irritation with temporary redness, stinging and tearing.</p> <p>Skin Hazards May cause skin irritation upon prolonged contact.</p> <p>Ingestion Hazards This product is not intended to be eaten under normal conditions of use. Seek medical attention if ingested. Not a probable route of exposure.</p> <p>Inhalation Hazards Not a probable route of exposure.</p> <p>Medical Conditions Generally Aggravated by Exposure Pre-existing skin diseases.</p>

3. Composition/Information On Ingredients			
	Ingredient Name	CAS Number	Percent Of Total Weight
	Butyl Adhesive – Trade Secret	N/A	40-70



4. First Aid Measures

Eye

Contact with adhesive may cause irritation with temporary redness, stinging and tearing. Flush with water for at least 15 minutes, and seek medical attention immediately.

Skin

Skin irritation may be treated by washing affected area with soap and warm water.

Ingestion

This product is not intended to be eaten under normal conditions of use. Seek medical attention immediately if ingested.

Inhalation

Move to fresh air in case of accidental inhalation of decomposition products.

5. Fire Fighting Measures

Flash Point: >450° F

Auto Ignition Temperature: N/A

Special Fire Fighting Instructions: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Method Used: N/A

Flammability Limits: LEL- Not Applicable.

Unusual Fire And Explosion: Hazards None. UEL – Not Applicable.

Extinguishing Media: Carbon Dioxide, Foam, Water, or Dry Chemical.

6. Accidental Release Measures

Not applicable for product in purchased form.

7. Handling And Storage

Safe Handling

N/A.

Safe Storage

Store in a cool, dry area. Protect from flame.

8. Exposure Controls/Personal Protection

Skin Protection

N/A.

Eye/Face Protection

N/A.

Ventilation

N/A.

Respiration Protection

N/A



9. Physical And Chemical Properties

Appearance: Black pliable adhesive with engineered facer film and paper release sheet.

Boiling Point: N/A.

Melting Point: N/A.

Specific Gravity: >1.

Vapor Pressure: N/A.

Vapor Density: N/A.

Solubility: Insoluble

Odor: Slight rubber odor

10. Stability And Reactivity

Stability: Stable.

Conditions to Avoid: Extreme temperatures, open flames, and strong oxidants.

Materials to Avoid: None known.

Hazardous Polymerization: Not anticipated under normal use.

Hazardous Decomposition: Not anticipated under normal use.

Thermal Decomposition (Combustion): May produce carbon monoxide, carbon dioxide and various hydrocarbons.

11. Toxicological Information

Chronic/Carcinogenicity

None of the ingredients present in this product, at concentrations equal to or greater than 0.1%, have been determined to be carcinogenic by IARC, NTP or OSHA.

12. Ecological Information

There is no data on the ecotoxicity of this product. This product should not pose an ecological risk.

13. Disposal Considerations

Dispose in accordance with applicable federal, state and local government regulations.

14. Transport Information

Hazardous Material Proper Shipping Name: Not regulated by DOT.

Special Handling or Shipping Precautions: None required.

Hazard Class: Non-hazardous.

UN Identification Number: None.

15. Regulatory Information

SARA 313 Regulated Chemicals: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Ingredient(s) - State Regulations: None.



**Fortifiber Building
Systems Group®**

Protecting Your World from the Elements®

SAFETY DATA SHEET

Page 4 of 4

FortiFlash® Butyl

16. Other Information

This SDS Supersedes A Previous Form Dated: 10/13/2015

Disclaimer

Although reasonable care has been taken in the preparation of this document, Fortifiber extends no warranties and makes no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).